



COLLINGWOOD
LIGHTING

LIGHTING INNOVATION

DECORATIVE LIGHTING



 By INOVARA



DECORATIVE LIGHTING

OLYN

OLYN 1 RDX	Retractable Semi-Recessed Spot Light	4
OLYN 2 RDX	Semi-Recessed Spot Light	5
OLYN 1 W	Surface Mounted Spot Light	6
OLYN 2 C	Surface Mounted Twin Spot Light	9
OLYN 1 P	Surface Mounted Pendant	10
OLYN 2 P	Semi-Recessed Pendant	11
OLYN 3 T	Track Mounted Spot Light	12

RONDY

RONDY 1 W	Ceiling / Wall Mounted Sphere Light	15
RONDY 2 W	Wall Mounted Sphere Light	15
RONDY 1 P	Surface Mounted Pendant	16
RONDY 2 P	Large Surface Mounted Pendant	16

HAPPY

HAPPY 1	7W Surface Mounted Ceiling Light	18
HAPPY 2	13W Surface Mounted Ceiling Light	19
HAPPY 3	18W Surface Mounted Ceiling Light	20

NARIA

NARIA 1 P	30W Surface Mounted Circular Pendant	23
NARIA 2 P	38W Surface Mounted Circular Pendant	23
NARIA 3 P	50W Surface Mounted Circular Pendant	24

STRENGTH IN NUMBERS

Sharing the intelligence, best practice and resources of Collingwood Lighting, IBL, Indigo Lighting and Nobile Italia, Inovara Group stands uniquely placed to help the whole supply chain, from contractors to clients, face the challenges of today and pursue the opportunities of tomorrow.



Collingwood Lighting, a UK-based business, has been a pioneer in the lighting industry ever since it was established back in 1961.

A commitment to innovation, quality and sustainability, particularly in LED technology, catapulted a modest start-up into a significant market presence.

Collingwood's adaptation to market demands; catering to cultural and environmental requirements, developing strategic partnerships with influential stakeholders, and its dedication to introduce new technologies, has been instrumental in its success.



IBL is a UK based innovator in LED engine design and provider of architectural lighting into flagship projects worldwide.

Established in 1986, IBL provides architectural lighting into a range of global projects across premium hospitality, retail, airports and residences.

It has operations in the UK and an assembly production facility in China, enabling it to source, assemble and distribute its products worldwide.

The company has built a strong reputation and is recognised for its high-performance products used in flagship projects including Marina Bay Sands in Singapore, The Peninsula in London, and the National Museum of Qatar .



Indigo Lighting, originally founded in 1989 under the name Soliban, has grown to become a leader in lighting innovation. Established as a Belgian lighting manufacturer in 2002, the company quickly gained a reputation for technical expertise and forward-thinking design.

Its pioneering Technolight system set the foundation for future success, leading to an expanded product range and strong customer relationships.

Today, Indigo Lighting continues to deliver cutting-edge solutions, combining technical excellence with a deep understanding of the evolving needs of the lighting market.



Founded in 1966 and headquartered in Rome, Nobile Italia, leads in design and LED technology in the Italian lighting market.

Italy is known for its exquisite design credentials and Nobile is no different. Nobile manufactures and distributes world-class LED luminaires, with a clear market focus set squarely on 'premium'.

This strategy doesn't rely on beauty alone, and is supported by excellent service levels, well established customer relationships, and strong R&D capabilities.



OLYN 1 W

Page 6



OLYN 2 C

Page 9



OLYN 3 T

Page 12



RONDY 2 W

Page 15



RONDY 2 P

Page 16



HAPPY 1

Page 18



HAPPY 2

Page 19



HAPPY 3

Page 20



NARIA 3 P

Page 24

OLYN 1 RDX

Retractable Semi-Recessed Spot Light




FEATURES

- Adjustable round semi recessed downlight.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch on the rear of the fitting.
- Spring clip fixing.
- Supplied with a remote phase cut dimmable driver.
- Ultra low luminance achieved through total internal reflection optics.



NEW



Code	Finish	Material	°	W	CCT	Lm (4000K)
DO57105	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
DO57130	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
DO57131	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
DO57151	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
DO57156	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
DO57157	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
DO57159	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
DO57165	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
DO57167	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
DO57168	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340



OLYN also available in

Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 2 P	Semi-Recessed Pendant	13
OLYN 1 P	Surface Mounted Pendant	12

OLYN 2 RDX


Semi-Recessed Spot Light

NEW



FEATURES

- Adjustable round semi recessed downlight.
- Selectable 3000K, 3500K or 4000K colour temperature via a rear switch.
- Spring clip fixing.
- Supplied with a remote phase cut dimmable driver.
- Ultra low luminance with total internal reflection optics.



Code	Finish	Material	Beam Angle	W	CCT	Lm (4000K)
DO57205	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
DO57230	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
DO57231	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
DO57251	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
DO57256	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
DO57257	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
DO57259	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
DO57265	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
DO57267	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
DO57268	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340



Matt Black



Matt White



Matt Black -
Satin Bronze



Matt White -
Brushed Rose



Matt White -
Brushed Steel



Matt Black -
Brushed Steel



Matt White -
Brushed Gold



Matt White -
Satin Bronze



Matt Black -
Brushed Rose



Matt Black -
Brushed Gold

OLYN also available in

Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 2 P	Semi-Recessed Pendant	13
OLYN 1 P	Surface Mounted Pendant	12

OLYN 1 W


Surface Mounted Spot Light

NEW



FEATURES

- Adjustable wall or ceiling light.
- Selectable 3000K, 3500K or 4000K colour temperature via a rear switch.
- Integrated phase cut dimmable driver.
- Compatible with phase cut dimmers.
- Ultra low luminance with total internal reflection optics.



Code	Finish	Material	Beam Angle	W	CCT	Lm (4000K)
WA28705	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
WA28730	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
WA28731	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28751	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28756	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28757	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28759	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
WA28765	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28767	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28768	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340



OLYN also available in

Product	Category	Page
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 2 P	Semi-Recessed Pendant	13
OLYN 1 P	Surface Mounted Pendant	12





OLYN 2 C


Surface Mounted Twin Spot Light

NEW



FEATURES

- Adjustable wall or ceiling light.
- Selectable 3000K, 3500K or 4000K colour temperature via a rear switch.
- Integrated dimmable driver.
- Compatible with phase cut dimmers.
- Ultra low luminance with total internal reflection optics.



Code	Finish	Material	Beam Angle	W	CCT	Lm (4000K)
WA28805	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
WA28830	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
WA28831	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28851	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28856	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28857	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28859	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
WA28865	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28867	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28868	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340

OLYN also available in



Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 P	Semi-Recessed Pendant	13
OLYN 1 P	Surface Mounted Pendant	12

OLYN 1 P

Surface Mounted Pendant




FEATURES

- Decorative pendant light.
- Surface mounted.
- Supplied with a black power cable, adjustable up to 2m.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch in the mounting base.
- Integrated phase cut dimmable driver in the mounting base.
- Ultra low luminance with total internal reflection optics.



NEW



Code	Finish	Material	°	W	CCT	Lm (4000K)
SU18405	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
SU18430	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
SU18431	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
SU18451	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
SU18456	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
SU18457	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
SU18459	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
SU18465	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
SU18467	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
SU18468	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340



OLYN also available in

Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 2 P	Semi-Recessed Pendant	13

OLYN 2 P

Semi-Recessed Pendant




FEATURES

- Decorative pendant light.
- Semi recessed ceiling rose with spring clip fixing.
- Supplied with a black power cable, adjustable up to 2m.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch in the mounting base.
- Supplied with a remote phase cut dimmable driver.
- Ultra low luminance with total internal reflection optics.



NEW



Code	Finish	Material	°	W	CCT	Lm (4000K)
SU18505	■ Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
SU18530	□ Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
SU18531	■ Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
SU18551	■ Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
SU18556	■ Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
SU18557	■ Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
SU18559	■ Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
SU18565	■ Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
SU18567	■ Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
SU18568	■ Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340

OLYN also available in

Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 3 T	Track Mounted Spot Light	14
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 1 P	Surface Mounted Pendant	13



OLYN 3 T


Track Mounted Spot Light

NEW



FEATURES

- Accent spotlight.
- Compatible with three circuit track systems
- Selectable 3000K, 3500K or 4000K colour temperature via a switch on the driver.
- Integrated non dimmable driver.
- Ultra low luminance with total internal reflection optics.



Code	Finish	Material	Beam Angle	W	CCT	Lm (4000K)
WA28705	Matt Black	Aluminium	36°	15W	3000-3500-4000K	1340
WA28730	Matt White	Aluminium	36°	15W	3000-3500-4000K	1340
WA28731	Matt Black - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28751	Matt White - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28756	Matt White - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28757	Matt Black - Brushed Steel	Aluminium	36°	15W	3000-3500-4000K	1340
WA28759	Matt White - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340
WA28765	Matt White - Satin Bronze	Aluminium	36°	15W	3000-3500-4000K	1340
WA28767	Matt Black - Brushed Rose	Aluminium	36°	15W	3000-3500-4000K	1340
WA28768	Matt Black - Brushed Gold	Aluminium	36°	15W	3000-3500-4000K	1340



OLYN also available in

Product	Category	Page
OLYN 1 W	Surface Mounted Spot Light	8
OLYN 1 RDX	Retractable Semi-Recessed Spot Light	6
OLYN 2 RDX	Semi-Recessed Spot Light	7
OLYN 2 C	Surface Mounted Twin Spot Light	11
OLYN 1 P	Surface Mounted Pendant	12
OLYN 2 P	Semi-Recessed Pendant	13





RONDY 1 W



Ceiling / Wall Mounted Sphere Light

NEW



FEATURES

- Decorative wall or ceiling light.
- Opal glass diffuser.
- Integrated phase cut dimmable driver.



Code	Finish	Material	W	CCT	Lm
WA279WW05	■ Matt Black	Aluminium	6.6W	3000K	755
WA279WW30	□ Matt White	Aluminium	6.6W	3000K	755
WA279WW58	■ Gunmetal Grey	Aluminium	6.6W	3000K	755
WA279WW61	■ Brushed Brass	Aluminium	6.6W	3000K	755



Matt Black



Matt White



Gunmetal Grey



Brushed Brass

RONDY 2 W


Wall Mounted Sphere Light

NEW



FEATURES

- Decorative wall light.
- Opal glass diffuser.
- Integrated phase cut dimmable driver.



Code	Finish	Material	W	CCT	Lm
WA280WW05	■ Matt Black	Aluminium	6.6W	3000K	770
WA280WW30	□ Matt White	Aluminium	6.6W	3000K	770
WA280WW58	■ Gunmetal Grey	Aluminium	6.6W	3000K	770
WA280WW61	■ Brushed Brass	Aluminium	6.6W	3000K	770



Matt Black



Matt White



Gunmetal Grey



Brushed Brass

RONDY 1 P

Surface Mounted Pendant




FEATURES

- Decorative pendant light.
- Opal glass diffuser.
- Supplied with an adjustable power cable up to 1.5m.
- White option has a white cable, all other finishes have a black cable.
- Integrated phase cut dimmable driver in the ceiling rose.



NEW



Code	Finish	Material	W	CCT	Lm
SUI175WW05	■ Matt Black	Aluminium	6.6W	2700K	1190
SUI175WW30	□ Matt White	Aluminium	6.6W	2700K	1190
SUI175WW58	■ Gunmetal Grey	Aluminium	6.6W	2700K	1190
SUI175WW61	■ Brushed Brass	Aluminium	6.6W	2700K	1190



Matt Black



Matt White



Gunmetal Grey



Brushed Brass

RONDY 2 P

Large Surface Mounted Pendant




FEATURES

- Decorative pendant light.
- Opal glass diffuser.
- Supplied with an adjustable power cable up to 1.5m.
- White option has a white cable, all other finishes have a black cable.
- Integrated phase cut dimmable driver in the ceiling rose.



NEW



Code	Finish	Material	W	CCT	Lm
SUI176WW05	■ Matt Black	Aluminium	6.6W	3000K	1740
SUI176WW30	□ Matt White	Aluminium	6.6W	3000K	1740
SUI176WW58	■ Gunmetal Grey	Aluminium	6.6W	3000K	1740
SUI176WW61	■ Brushed Brass	Aluminium	6.6W	3000K	1740



Matt Black



Matt White



Gunmetal Grey



Brushed Brass



HAPPY 1


7W Surface Mounted Ceiling Light

NEW



FEATURES

- Round ceiling light.
- Integrated dimmable driver.



Code	Finish	Material	⤴	W	CCT	Lm
WA238WW05	■ Matt Black	Aluminium	40°	7W	3000K	435
WA238WW08	▨ Matt Black - Champagne	Aluminium	40°	7W	3000K	435
WA238WW17	▨ Matt Black - Silver	Aluminium	40°	7W	3000K	435
WA238WW23	■ Matt Black - Black Chrome	Aluminium	40°	7W	3000K	435
WA238WW30	□ Matt White	Aluminium	40°	7W	3000K	435
WA238WW49	▨ Matt White - Champagne	Aluminium	40°	7W	3000K	435
WA238WW53	▨ Matt White - Silver	Aluminium	40°	7W	3000K	435
WA238WW22	▨ Matt White - Black Chrome	Aluminium	40°	7W	3000K	435



Matt Black



Matt Black - Champagne



Matt Black - Silver



Matt Black - Black Chrome



Matt White



Matt White - Champagne



Matt White - Silver



Matt White - Black Chrome



HAPPY 2


13W Surface Mounted Ceiling Light

NEW



FEATURES

- Round ceiling light.
- Integrated dimmable driver.



Code	Finish	Material	°	W	CCT	Lm
WA239WW05	■ Matt Black	Aluminium	40°	13W	3000K	855
WA239WW08	▨ Matt Black - Champagne	Aluminium	40°	13W	3000K	855
WA239WW17	▨ Matt Black - Silver	Aluminium	40°	13W	3000K	855
WA239WW23	■ Matt Black - Black Chrome	Aluminium	40°	13W	3000K	855
WA239WW30	□ Matt White	Aluminium	40°	13W	3000K	855
WA239WW49	▨ Matt White - Champagne	Aluminium	40°	13W	3000K	855
WA239WW53	▨ Matt White - Silver	Aluminium	40°	13W	3000K	855
WA239WW22	▨ Matt White - Black Chrome	Aluminium	40°	13W	3000K	855



Matt Black



Matt Black - Champagne



Matt Black - Silver



Matt Black - Black Chrome



Matt White




Matt White - Champagne



Matt White - Silver



Matt White - Black Chrome



HAPPY 3

18W Surface Mounted Ceiling Light




FEATURES


- Round ceiling light.
- Integrated dimmable driver.



NEW



Code	Finish	Material	⤴	W	CCT	Lm
WA240WW05	■ Matt Black	Aluminium	40°	18W	3000K	1170
WA240WW08	▨ Matt Black - Champagne	Aluminium	40°	18W	3000K	1170
WA240WW17	▨ Matt Black - Silver	Aluminium	40°	18W	3000K	1170
WA240WW23	■ Matt Black - Black Chrome	Aluminium	40°	18W	3000K	1170
WA240WW30	□ Matt White	Aluminium	40°	18W	3000K	1170
WA240WW49	▨ Matt White - Champagne	Aluminium	40°	18W	3000K	1170
WA240WW53	▨ Matt White - Silver	Aluminium	40°	18W	3000K	1170
WA240WW22	▨ Matt White - Black Chrome	Aluminium	40°	18W	3000K	1170








NARIA 1 P

30W Surface Mounted Circular Pendant




FEATURES

- Opal diffuser.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch in the ceiling rose.
- Supplied with black or white suspension cables, adjustable up to 2.5m.
- Integrated non dimmable or DALI dimmable driver in the ceiling rose.



NEW



Code	Dimming	Finish	Material	°	W	CCT	Lm (4000K)
SU18805	On-Off	■ Matt Black	Aluminium	100°	30W	3000-3500-4000K	2850
SU18830	On-Off	□ Matt White	Aluminium	100°	30W	3000-3500-4000K	2850
SU18905	DALI	■ Matt Black	Aluminium	100°	30W	3000-3500-4000K	2850
SU18930	DALI	□ Matt White	Aluminium	100°	30W	3000-3500-4000K	2850



Matt Black



Matt White

Accessory	Finish	Description
SU19404	White	Acoustic Panel
SU19432	Black	Acoustic Panel
SU19472	Grey	Acoustic Panel


NARIA 2 P

38W Surface Mounted Circular Pendant




FEATURES

- Opal diffuser.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch in the ceiling rose.
- Supplied with black or white suspension cables, adjustable up to 2.5m.
- Integrated non dimmable or DALI dimmable driver in the ceiling rose.



NEW



Code	Dimming	Finish	Material	°	W	CCT	Lm (4000K)
SU19005	On-Off	■ Matt Black	Aluminium	100°	38W	3000-3500-4000K	3740
SU19030	On-Off	□ Matt White	Aluminium	100°	38W	3000-3500-4000K	3740
SU19105	DALI	■ Matt Black	Aluminium	100°	38W	3000-3500-4000K	3740
SU19130	DALI	□ Matt White	Aluminium	100°	38W	3000-3500-4000K	3740



Matt Black



Matt White

Accessory	Finish	Description
SU19404	White	Acoustic Panel
SU19432	Black	Acoustic Panel
SU19472	Grey	Acoustic Panel


NARIA 3 P

50W Surface Mounted Circular Pendant




FEATURES

- Opal diffuser.
- Selectable 3000K, 3500K or 4000K colour temperature via a switch in the ceiling rose.
- Supplied with black or white suspension cables, adjustable up to 2.5m.
- Integrated non dimmable or DALI dimmable driver in the ceiling rose.



NEW



Code	Dimming	Finish	Material	°	W	CCT	Lm (4000K)
SU19205	On-Off	■ Matt Black	Aluminium	100°	50W	3000-3500-4000K	4770
SU19230	On-Off	□ Matt White	Aluminium	100°	50W	3000-3500-4000K	4770
SU19305	DALI	■ Matt Black	Aluminium	100°	50W	3000-3500-4000K	4770
SU19330	DALI	□ Matt White	Aluminium	100°	50W	3000-3500-4000K	4770



Accessory	Finish	Description
SU19404	White	Acoustic Panel
SU19432	Black	Acoustic Panel
SU19472	Grey	Acoustic Panel

ACCESSORIES FOR NARIA

	Code	Colour	Description	Compatible With	Included
	SU19404	White	Acoustic Panel	Naria 1 P	Sold Separately
	SU19432	Black	Acoustic Panel	Naria 1 P	Sold Separately
	SU19472	Grey	Acoustic Panel	Naria 1 P	Sold Separately
	SU19504	White	Acoustic Panel	Naria 2 P	Sold Separately
	SU19532	Black	Acoustic Panel	Naria 2 P	Sold Separately
	SU19572	Grey	Acoustic Panel	Naria 2 P	Sold Separately
	SU19604	White	Acoustic Panel	Naria 3 P	Sold Separately
	SU19632	Black	Acoustic Panel	Naria 3 P	Sold Separately
	SU19672	Grey	Acoustic Panel	Naria 3 P	Sold Separately





Brooklands House, Sywell Aerodrome
Sywell Northampton, NN6 0BT
+44 (0) 1604 495 151
sales@collingwoodgroup.com
collingwoodlighting.com

Published September 2026

 By INOVARA